阳政精机(无锡)有限公司

YANG JENQ MACHINERY (WUXI) CO., LTD

地址:中国无锡国家高新技术产业开发区硕放工业园三期B-5号地块

Add: B-5 lot, Phase Three, Shuofang Industrial Park, Wuxi New District, Jiang Su Province, China.

电话: 0510-8530-7099/8099 400-150-8077 Tel: 0510-8530-7099/8099 400-150-8077

传真: 0510-8525-1099 Fax: 0510-8525-1099 邮箱:yangjenq@vip.163.com E-mail:yangjenq@vip.163.com

阳政机械有限公司 YANG JENG MACHINERY CO., LTD

地址:台北县八里乡大崁三街15号

Add: 1F NO.15, Dakan 3rd St., Bail Dist., New Taipei City 249, Taiwan

电话: +886-2-2610-5549 Tel: +886-2-2610-5549 传真: +886-2-2610-5119 Fax: +886-2-2610-5119

邮箱: yangjenq1972@gmail.com E-mail: yangjenq1972@gmail.com





www.yangjenq.com yangjenq@vip.163.com 400-150-8077



的通人和超宏图 照照



公司简介

Company Profile

阳政公司自1972 年成立以来,便以提供专业多元化的服务为目标,在食品业先进的长期支持与阳政全体同仁努力耕耘下,目前已成为国内具有规模的专业食品机械制造厂商之一。

我们以「食品业全方位伙伴」做为整体管理的指标,对内依据国内业界的需求,不断研究开发符合客户需求的设备之外,更因应国外的应用趋势,配合客户需求,提供客户产品规划等专业化的服务,以协助客户拓展商机并创造「互动双赢」的共荣关系。

我们秉承着创新服务的精神,不断地研究开发与创立自有品牌,不模仿他人之产品,由零做起至今,荣获中国、台湾地区及德国,日本,韩国,印度尼西亚,马来西亚…等多国专利近百余项之多。

阳政精机自2002年登陆大陆以来,不断致力于产品开发创新,陆续推出法式奶香面包、法式软面包、干吃汤圆、丝卷面包等引领中国市场的长效类产品。在传统食品行业不断研究格式新型包馅设备和面团成型设备,丰富了产品的多样化和设备的通用性。同时结合国外先进技术开发各种产品成型、输送系统,极大地实现了自动化降低了人工成本。更值得一提的是在全国冷冻行业方面近年来每年成长30%,阳政一直以来在包子馒头设备的品牌及技术领先更加速推动国内中点食品的供应和市场需求。阳政近年来在食品业界的略尽薄力和引领市场,相信会为中国的食品工业刻画新的里程碑。

It is our goal to provide professional service since Yang Jenq Machinery Co., Ltd. set up in 1972. By the support from our business partners and cultivation of all our staffs in Yang Jenq, we had become one of the biggest professional food–making machinery manufacturer.

"Best supplier/partner in food industry" is our principle to run business. Keeping research and develop equipments to the needs of customers in Taiwan, also, offer specialized production design and tailor—made services to help customers broaden business and create "Win–Win" relationship.

By continuously innovation research and promote our own brand, Yang Jenq Machinery Co., Ltd never copy others since now. We persisted in researching to achieve more than 100 patents in China, Taiwan, German, Japan, Amercia, Mainland...etc.

Yang Jenq Machinery kept its innovation in designing and research since its landing on Mainland China in 2002. She successfully promoted the long shelf French Milk-bread,soft-bread,Mochi,Rolled-bread,Filled-cake with her clients···etc. In the traditional ethnic food area,Yang jenq researched to offer the latest Encrusting Machine and forming machine for traditional ethnic food. By combining with the advanced automation and low labor cost. In addition,Yang Jenq's advantage in brand and technology accelerates the supply and demands for the growing frozen food industry. We believe that Yang Jenq's effort in the last several years will undoubtedly make big contribution to China food industrial.

其公司直往 (94年)(90)、京麓淮等弘证

董事长致辞

Chairman's words

这半世纪的岁月中,感谢客户的信赖,成就了阳政的成长,也维系了阳政对食品机械 专业的坚持。创业至今,产业环境几经变化,我们仍以稳固的步履,在社会不断的转型中 蜕变成长,我们在每个关键时刻所留下的足迹历历可见,这些创新及变革正是公司活力和 进步所在的源泉。

Yang Jenq has been constructing and developing industrial production systems for the bakery industry for half a century. Recently, a new trend has emerged in the industry food safety and hygiene are becoming increasingly important issues. To surmount these challenges, Yang Jenq company has been reserching more and more new industrial production line to meet customer's requirment. Howevermore sophisticated madern and hygienic design will combine our traditional advantages in quality and technique service.



企业精神

The Spirit of Yangjeng Company

创新 Innovation

责任 Responsibility

服务 Sincere Service

经营理念

Our Management Tenet

员工为本 Much higer quality

顾客为尊 Much better Credit

恪守本职 Much better service

发展为先 Much more respect for customers



资质证书

Qualificatine Ceatificate

荣获国内外专利 百余项

100 domestic and foreign patents 20 professional technical designer

高级研发人员 20余人

销售市场超过 30个国家

The marketing gets to 30gn countries more











































目录 Directory

-:	包馅机生产线				_
	Encrusting Production Line				5
	01. 多功能包馅机				
	Multi-function Encrusting Machine				6
9	02. 自动印饼机				_
405	Automatic Stamping Machine				7
	03. 自动排盘机				_
	Automatic Arrangement Machine				7
es.	04. 压花抹蛋机				7
	Decorating Machine				7
	05. 充蛋黄封口机				7
	Yolk Sealing Machine				7
	06. 排气机				7
100	Air Exhausting Machine			170	7
-:	多功能面团成型生产线	4:			0
-31	Multi-Functional Dough Forming Production	ucti	on Line		8
=:	菠萝包生产线			- 320	9
m	Pineapple Bread Production Line			Market I	9
ഥ:	吐司生产线		· · · · · · · · · · · · · · · · · · ·		11
_	Toast Making Production Line	2			10
л:	酥饼、鲜花饼、老婆饼、蛋黄酥生产线		andla Filled Crieny Coke		11
<u>~</u> .	Crispy Pastry Production Line Is Spec	ialis	sedin Filled Crispy Cake		- 1
W:	选配设备		77.00		
	Optional Machine	02	八京十6人5万和		
	01. 多功能面团成型主机		分离式给馅机		12
	Multi-Function Dough Forming Line		Separate Filling Machine . 分离式捏花机		1 4
	03. 多重馅料包馅机 Separate Filling Machine	04		Machina	11
	Separate Filling Machine 05. 分离式切台		Separate Twist Dividing N	viacilile	13
	CONTRACTOR OF THE PROPERTY OF				13
	Separate Cutting Machine 06.垫纸机	07	抓包机		1.
		07.	Imitation Handmade Bun	Machino	1.
	Bottom Paper Moving Machine 08. 旋风式喷粉机	00	菠萝包盖皮机	Machine	14
	Rotary Powder Spraying Machine	07.	波多色無反抗 Pineapple Pastry Coverir	na Machine	14
	10. 杆薄机	11	盖章机	ig iviacilile -	14
	The Thickness Pressing Machine	11.	画卓が Signature Stamping Mac	hine	14
	12. 喷蛋撒料机	13	撒料机	TITLE	1-
	Sprinkle Machine		Sprinkle Machine		15
	14. 自动连续压面机		分割面带整型机		1
	Automatic Dough Kneading Machine		Dividing Machine		1.5
	16. 输送整型机	-	Dividing Madrinio		
	Dough Dividing And Sheeting Mach	ine			15
	17. 蛋糕曲奇成型机		3. 烧成机		
	Cookies And Cake Depositer		Mould Cake Production	Line ·····	10
	2 30 Cano Dopositor				





包馅机生产线 Encrusting Production Line

适用于:各类广式月饼、冰皮月饼、滇式月饼、糕团类、糕点类以及火锅料等包馅和不包馅产品

Fit for: different mooncake and other cakes with filling

最高产能: 4800 个/小时 Capacity: 4800 pcs/h

- 包馅机将面皮和馅料定量结合后分块,适用重量范围从 15-200 克,皮馅比例从 2: 8 到 8: 2。 Encrusting machine combine dough and filling than divided mixture by seled ration. The range of weight is 15-200g. The rate between dough and filling are 2: 8 to 8:2.
- 适用固定或伸缩模具,花纹图样可自主选择。 It is suitable fo fix flexible modle, users can choose pattern designation.
- 自动将产品规则排列在烤盘上,可设定平行排列或交叉排列。
 Product is arranged on baking shee automatically, the rules can be set paralled and intersec-ted line














多功能包馅机 Multi-Function Encrusting Machine



- 左右皮料与馅料的双绞龙与大滑槽送料分别由独立的电机做变频控制,以降低对皮料馅料的破坏和保持产品重量的稳定。
 Both horizontal extruder which controlled by individually and push filling separately. This method is deal with reduce the damage of filling
- 输送皮料中心座具有合成传动装置,不会使面皮发热而确保产品的口感与风味。 The design of actuating device which keep the temperature of filling and keep sure its good taste.
- 具有六片刀(圆刀)及九片刀(圆刀及花刀)可选。 We offer 6 knives and 9 knives for different food requirement.
- 产能: 1000~4800 个 / 小时 Capacity: 1000-4800 pcs/h

and keep stable weight of product.





- 本机为全球首创专利发明采用垂直式螺杆与横向绞龙式两种不同落料方式的结合,通过改变导馅中座的方向,可选择各式皮料或馅料的最适合落料方式。横向绞龙与大滑槽可分开独立调速,可降低对皮料或馅料的破坏性并确保产品的重量稳定
- This machine is the world's first patented invention. This machine is designed Vertical and horizontal screw system which are workable for variours filling materials. Independent control device adjust the speed of machine which efficently keeping weight of product stable under long time running.
- 产能: 1000~4800 个 / 小时 Capacity: 1000~4800 pcs/h





- 采用垂直螺杆送料方式,降低馅料与面皮过度搅拌而破坏原料的原始风味 Vertical screw design could reduce the damage of the original flaver and tissues of material
- 产能: 1000~4800 个 / 小时 Capacity: 1000-4800 pcs/h

型묵 Model	品名 Name	长(mm) Length	宽 (mm) Width	高 (mm) Height	功率(kw) Power	重量 (kg) Weight
YJ-880S		1550	850	1600	2.8	460
YJ-880T		1550	850	1900	3.5	480
YJ-900S	多功能包馅机	1460	888	1510	3.5	460
YJ-900T	Multi-Function Encrusting Machine	1460	888	1900	4.2	480
YJ-1000S		1460	888	1560	3.8	460
YJ-1000T		1460	888	1853	4.5	480



自动印饼机 Automatic Stamping Machine

• 伸缩模设计(固定模通用),模子采用 塑料王不沾材质,坚固耐用。

Telescopic mold design (universal guodingmold) the mold is made of plasticking non-stick material which is firm and durable.

• 输送皮带采用伺服电机传动控制,印饼 时落点精淮。

The conveyor belt adopts servo motor control, and printing point is accurate.

• 调整搓圆皮带间隙采用电控控制,可在操作面板上因应产品规格需求

The distance of rolling belt is controled by electronic operation, which can be ajusted according to different product specifications.

● 产能: 1000~4800 个 / 小时 气源: 0.7MPa Capacity: 1000-4800 pcs/h Airpressurer: 0.7MPa

压花抹蛋机 Decorating Machine

充蛋黄封口机 Yolk Sealing Machine

The machine is matched with option of one and two yolk plate

• 可针对单个或两个蛋黄选择配套的压模和蛋盘装置。

• 可在产品表面印制出花纹(可订做) 并均匀涂抹一层蛋液。

It is decorating the surface of product and brush egg wash at same time.

• 产能: 1000~4800 个 / 小时 Capacity: 1000-4800 pcs/h



Y.I-850C

自动排盘机 Tray Automatic Machine

• 可设定排列方式(平行或交叉)。 Arrangement ststem can be set (parallel or crossed)

• 电脑可自动判断与计算机排列方式与个数。 The computer can automatically caculate the product aligning mathod.

• 伺服电机定位系统,产品落点精确。 Servo motor positioning system can accurate product dropping position.

• 每分钟最高可排 200 个产品。(根据产品而定) The fast speed is 200 products per minute.(depending on the product)

• 产能: 1000~7200 个 / 小时 Capacity: 1000-7200 pcs/h

排气机 Air Exhausting Machine

• 特别适用於薄皮餐包,搭配包馅机使用,面团 投入量在8~10公斤。

This machine is appropriate for thin skinned soft filled bread, which working together with Encrusting machine. Dough capacity is 8-10kg in each time.



Y.J-860











型号 Model	品名 Name	长(mm) Length	宽 (mm) Width	高 (mm) Height	功率(kw) Power	重量 (kg) Weight
YJ-850C	自动印饼机 Automatic Stamping Machine	1600	540	1310	1.2	275
YJ-860	自动排盘机 Automatic Arrangement Machine	1485	1400	1500	1.5	465
YJ-858	压花抹蛋机 Decorating Machine	1300	580	930	0.4	190
YJ-260	排气机 Air Exhausting Machine	950	650	900	2.2	390
YJ-500	充蛋黄封口机 Yolk Sealing Machine	2300	800	1500	1.5	450

多功能面团成型生产线

Multi-Functional Dough Forming Production Line

• 将面带放置入面滑轮后,经过一道可调整厚薄之滚轮,整压出符合需求之标准面皮,开启给馅 机选配产品所需出料规格,经卷轮装置将面皮包覆馅料并卷成长条状,开启捏断装置井设定 捏断长度,生产所需产品规格。

According the thickness requirements first. Then sheeting the dough on the conveyor and press under a set of rollers, run the filling extruder to cover the filling inside. Finally turn on the twisting machine to shape the suitable product.

• 品质稳定,产品重量误差不超过3克。 The weight and quality are stable, Deviation is within 3g.

• 产品规格,长度,大小皆可调整设定。 Users can adjust the specification of length.

• 产能: 1000~7200 个 / 每小时。 Cpacity:1000-7200 pcs/h.











• 将面带放置入面滑轮后,经过一道可调整厚薄之滚轮,整压出符合需求之标准面皮,开启给 馅机,选配产品所需出料嘴规格,经卷轮装置将面皮包覆馅料并卷成长条状,开启切断装置 生产所需产品规格。

According the thickness requirements first. Then sheeting the dough on the conveyor and press under a set of rollers, run the filling extruder to cover the filling inside. Finally turn on the guillotine machine to shape the suitable pro -duct.

• 产能: 1000~12000 个 / 每小时。 Capacity: 1000-12000 pcs/h.



					10 2020
品名 Name	长(mm) Length	宽 (mm) Width	高 (mm) Height	功率(kw) Power	产能 (pcs/H) Capacity
捏圆产品生产线 Twisting Production Line Is Specialised In Filled Product	5600	1100	1780	5.55	1000-7200
刀切产品生产线 Guillotine Production Line Is Specialised In Cutting Product	5000	1100	1690	5.40	1000-12000





菠萝包生产线 Pineapple Bread Production Line

- 面带经整压,擀薄来控制面的厚薄度。 According the thickness requirements firstly.
- 增加给馅机做包馅菠萝包,丰富产品种类。 Then sheeting the dough on the conveyor and press under a set of rollers run the filling extruder to cover the filling inside.
- 卷好的面带经捏花机做定量分块。 Finally turn on the twisting machine to seperate the suitable product.
- 菠萝包酥皮形成机,自动挤出菠萝包皮覆盖面团,将产品整体撒上薄粉,经 由打饼机稍做搓圆,特制菠萝包网状模具做最后整形。 Product is filled different taste of cream filling and covered by plate of pineapple pastry. The dough roller shutter by Twisting Machine, Auto -maticly extruder work for corvering the plate of pineapple pastry,Aut -omatic flour duster work for shape the product. Automatic stamping machine runs for ornament surface of product.





吐司生产线 Toast Making Production Line

- 搅拌缸经由提升机将面团倒入分块机做定量分块后连接成面带状。 Mixer lifter rising and dropping dough automatically into dividing machine then the pieces of dough can be connected into dough sheet .
- 面带经过一道整压轮定型确保厚度及宽度。 Dough sheet is formed under first roller system which fixed the width
- 面带进入恒温中间松弛系统。 Dough sheet is moving and relaxing inside of constant temperatured room.
- 卷好的面带经切台做定量切块,连接排盘机将产品自动排入多连吐司盒中。 Dough roller is rationed out as requirement. The tray arrangement machine can move toast boxes which is specifically aligning the toast.



















• 连接排盘机节省人工,达到更卫生的制程。 Arrangment machine automaticly save labours and meet sanitery requirement to keep food safety.




品名 Name	长(mm) Length	宽 (mm) Width	高 (mm) Height	功率(kw) Power	产能 (pcs/H) Capacity
菠萝包生产线 Pineapple Bread Production Line	10000	1400	1600	11.45	3600



相较一般吐司生产线优势:

The competetive advantage of this line

- 可订制生产线做双色吐司,可增加洒料机将果干洒在吐司内部。 This line can work for double colored toast, This line can work together with spray machine which spray the dry cracker of fruit on the dough sheet and add the various type of toast.
- 可自动排盘,可包馅,吐司气孔组织更绵密,重量精准、产能大。 The line can run together with try arrangement machine. This line can work with filling machine. The toast orgnization will be more elaborated. The weight of product can specified. Capacity can reach mighty requirement.



22000

2000

195000



YANGJENO

酥饼、鲜花饼、老婆饼、蛋黄酥生产线

Crispy Pastry Production Line Is Specialised In Filled Crispy Cake

- 面带经整压,擀薄来控制面的厚薄度。 According the thickness requirements firstly.
- 增加给馅机做包馅产品,丰富产品种类。
 Then sheeting the dough on the conveyor and press under a set of rollers,run the filling extruder to cover the filling inside.
- 卷好的面带经捏花机做定量分块。
 Finally turn on the mould machine to ornament the suitable product.
- 模拟手工使用杆面棍将产品向四周拓展杆薄,大大降低劳动强度。
 Simulation of manual use of rod surface stick will expand the product to the surfrounding, rod thin, greatly reducing labor intensity.





- 可增加汽缸并加装刀具生产老婆饼以达到自动化流水线生产。 It can increase cylinder and add cutter to produce cake to achieve automatic production line.
- 连接排盘机节省人工,达到更卫生的制程。 Connecting the discharger saves labor and achieves a more hygienic process.
- 最高产能每分钟 120 个。 The Max Capacity: 120pcs/min.

品名	长(mm)	宽 (mm)	高 (mm)	功率(kw)	产能 (pcs/h)
Name	Length	Width	Height	Power	Capacity
酥饼、鲜花饼、老婆饼、蛋 黄酥生产线 Crispy Pastry Production Line Is Specialised In Filled Crispy Cake	8650	1400	1600	9.45	1000-7200



多功能面团成型主机

Multi-Function Dough Forming Line



- 游星滚轮对面皮压缩比为 6: 1(视面团特性)。
 Rotary rollers make quick reduce rgauhing station to reduce the dough thickness by a max factor of 6:1.
- 可根据产品所需订做轮宽和卷面数量。
 Width of roller can be made in specialty to meet different product requirement.
- 产能: 1000~12000 个 / 小时 Capacity: 1000-12000 pcs/h
- PLC 人机介面、操控方便,并可记录生产数据。
 PLC man-machine interface, convenient operation, and can record production data.
- 皮带具条可快速放松,并可快速拆卸。 The belt can be quickly loosened and disassembled.
- 三道压轮上封板可快速拆卸,方便清洁。
 The cover of three pressure wheels can be quickly disassembled for easy cleaning.
- 二道轮和三道轮之间具皮带输送,提升操作者的安全。
 There is the belt conveyor fixed between secend wheels and third wheels ,which improve the safety of operators.
- 撒粉机滚轮和机座可快拆
 The roller and base of the duster can be quickly disassembled for convenient cleaning.
- 压力传感方式控制面皮速度 Pressing senor designed to control the speed of the dough sheet.
- 产能: 1000~12000 个 / 小时 Capacity: 1000-12000 pcs/h





分离式给馅机

Separate Filling Machine

• 适用于肉馅,菜馅,豆沙,五仁馅料,颗粒水果酱,各式涂酱。

 ${\it Meat, vegetable, bean, fruit, jam, granum\ are\ available.}$

• 采用垂直送料设计,降低对特性的破坏,保持传统手工风味。

Adopt the designation of droppingthe filling upright decrease the damage of filling and keep the traditional taste.



- 适用于肉馅,菜馅,豆沙,五仁馅料,颗粒水果酱,各式涂酱。
- Meat, vegetable, bean, fruit, jam, granum are available.
- 特别适用于油份高的馅料。
 This machine is specialised for high rate of oiled material.



¥J-SE53

型묵 Model	品名 Name	长(mm) Length	宽 (mm) Width	高 (mm) Height	功率(kw) Power	重量 (kg) Weight
YJ-2510M		4200	670	1780	3.3	650
YJ-2510L		4200	730	1780	3.3	680
YJ-1510S	多功能面团成型主机 Multi-Function Dough Forming Line	3500	590	1690	3.15	585
YJ-1510M		3500	670	1690	3.15	620
YJ-1510L		3500	730	1690	3.15	640
YJ-SE51	分离式给馅机 Separate Filling Machine	750	500	1400	0.75	75
YJ-SE53		780	500	1200	0.75	60

 $\parallel 11 \parallel 12 \parallel$



多重馅料包馅机

Separate Filling Machine



• 采用垂直送料设计,降低对特性的破坏 保持传统手工风味。

Adopt the designation of dropping the filling upright decrease the damage of filling and keep the traditional taste.

馅中馅装置特别适用於注粉体馅流心馅 和果酱馅等特殊馅料。

Middle hopper specialised design for powder filling, fastry cream, fruit pastry etc.



Separate Twist Dividing Machine

- 有多种圆刀、花刀可选配。 User can choose round knife or bun knife.
- 可根据产品所需配置六片刀或九 片刀具及刀盘、旋盘,更换方便。
- The accessory of shutter can be used as different product requir -ement. Six pieces and nine pieces shutter head and capstan can easily exchanged.



- 刀盘具升降功能,使产品能更有效的站立在输送皮带上。 The shutter head has function of rising system which helps product stand straight on the coneyor.
- 产能: 1000~4800 个 / 小时 Capacity: 1000-4800 pcs/h

分离式捏花机

Separate Twist Dividing Machine



• 有多种圆刀、花刀可选配。 User can choose round knife or bun knife.

• 自动顶升装置,可调整顶升高度满足,各

We design automatic peak. It can adjust the height of peaking to meet the requir -ements of different production.

• 产能: 1000~7200 个 / 小时 Capacity: 1000-7200 pcs/h



• 第一及第二重馅为双绞龙螺杆送料,可变频调 读来控制注馅量的多寡。

The first and second fillings are fed by double twisted dragon screw, which can be controlled by frequency conversion and speed regulation.

• 第三重馅是重直落料方式,可填充粉体馅、流心馅 或酱料等多种馅料。

The third filling hopper designed with straight dropping mathod which can work for powder filling pastry filling or sauce and variety

• 六片刀设计。

This machine has shutter designed as six pieces knives.

自动顶升装置,可调整顶升高度,满 足各种产品所需。

We design automatic peak. It canadjust the height of peaking to meet the requirements of dif -ferent production.



• 刀盘具升降功能,使产品能更有效的站立在输送皮带上。 The shutter head has function of rising system which helps product stand straight on the coneyor.

• 产能: 1000~6000 个 / 小时 Capacity: 1000-6000 pcs/h

分离式切台

Separate Cutting Machine



• 采用离合器传动设计,可高速运行提高 产能,并保持相对精密。

Adopting the designation of clutch running The machine can run with high speed to increase the capacity and also keep nicety.

可依据不同需求,订制专用刀具。 User can order the specific mould according to the requirements.


产能: 1000~12000 个 / 小时 Capacity: 1000-12000 pcs/h

型号 Model	品名 Name	长(mm) Length	宽 (mm) Width	高 (mm) Height	功率(kw) Power	重量 (kg) Weight
YJ-SE600T	多重馅料给馅机	880	1090	2000	1.8	230
YJ-SE880T	Separate Filling Machine	950	700	1500	0.8	300
YJ-SW45		1500	700	1400	1.5	210
YJ-SW48	分离式捏花机 Separate Twist Dividing Machine	1145	610	900	0.5	170
YJ-SW49		1475	765	1400	1.5	278
YJ-STB35	分离式切台 Separate Cutting Machine	1500	500	1400	0.75	160

垫纸机

Bottom Paper Moving Machine

- 可设定纸张裁切长度。 The length of paper can be set up.
- 纸张宽度: 40~90mm (若超过90需订做) The width of paper: 40~90mm.
- 卷筒内径: 60~76mm,外径不超 过 280mm(标准) Inner Diameter of paper bobbin: 60~76mm, External diameter with in 280mm(standard).



-ustable) will automatically start an alarm.

旋风式喷粉机

Rotary Powder Spraying Machine



• 能将面粉均匀覆盖到产品的表

The powder can be sprayed homog -eneously.

• 有面粉槽回收多余的面粉并再次重 复使用。

The powder groove catches the rest which can be reused.

杆薄机

The Thickness Pressing Machine

• 可设定杆薄轮下降的高度、时间 以达到产品所需的厚度及直径。

The height and time of the thin whe -el can be set to reach the required thickness and diameter of the prod

- 可增加汽缸并加装刀具生产老婆
- 饼以达到自动化流水线生产。

The cylinder and cutting knives can be add for produce wife cake which can become automatical making line.

• 产能: 1000~4800 个 / 小时 Capacity: 1000-4800 pcs/h



抓包机

Imitation Handmade Bun Machine

- 18 或 24 褶花纹设计。 18 or 24 numbers of wrinkles on top.
- 捏花行程高度可调整以达到所需的花 纹长度。

The shutter movement and height can be setup for requirement.

• 拧包行程高度可调整来决定收口的深浅。 The height of binding can be setup for shade requirement.

• 产能: 1000~3600 个/小时 Capacity: 1000-3600 pcs/h



菠萝包盖皮机

Pineapple Pastry Covering Machine



- 可设定盖皮的重量、尺寸、厚度。 The weight, size and thickness of pineapple pastry can be adjusted and settled down.
- 适用台式、日式及港式菠萝皮。 The machine is suitable for Japanese Taiwan and Hong Kong pineapple pa -stry filling.


• 产能: 1000~3000 个 / 小时 Capacity: 1000-3000 pcs/h

盖章机

Signature Stamping Machine

- 伺服电机控制,盖章精准。 Servo motor control system which help for accurate stamping
- 两个模具交替盖章,最高产能可达 到 80~100 个 / 每分钟。

Two of mould running system works together to get maximum speed into 80-100 pieces/minute.





型号 Model	品名 Name	长(mm) Length	宽 (mm) Width	高 (mm) Height	功率(kw) Power	重量 (kg) Weight
YJ-PP80	垫纸机 Bottom Paper Moving Machine	1550	710	1000	1	190
YJ-HM50	抓包机 Imitaional Handmade Bun Machine	700	750	1350	0.5	130
YJ-PF01	旋风式喷粉机 Rotary Powder Spraying Machine	870	700	1060	0.3	110
YJ-SE55	菠萝包盖皮机 Pineapple Pastry Covering Machine	1200	850	1350	3	220
YJ-851	杆薄机 The Thickness Pressing Machine	2182	655	1330	2.5	420
YJ-855	盖章机 Signature Stamping Machine	1980	660	1460	1	200



喷蛋撒料机 Sprinkle Machine



• 可调节喷洒量、喷洒高度及角度使蛋液 能更均匀的附著在产品上。

Adjustable sprinkler nozzle which spray the liquid egg more evenly attached to the product spraying height and Angle canbe adjusted.

- 撒料装置为伺服电机带动,撒料时间可调。
 The feeding device is driven by servo mot or and the feeding time can be adjusted.
- 可根据撒料需求,订做不同结构的撒料方式。
 According to the requirements of sprinkling, we can customize different structure of sprinkling.

自动连续压面机

Automatic Dough Kneading Machine

 (手/自)动两用连续压面—可设定压面 次数 1-99 次。

(manual/automatic) continuous shee -ting --the times of sheeting can be set range 1-99 times.

• 伺服电机调整压面轮输出厚度(0.8~1.8 cm)。

Adjustable output thickness is 0.8-1.8cm.

自动洒粉系统—可设定洒粉量多少。
 Automatic powder sprinkling system --can set the amount of powder sprinkling.

分割面带整型机

Dividing Machine

• 压好的面带经分割刀均匀分成所 需要的宽度。

The dough sheet can cut into suitable width by dividing machine.



撒料机

Sprinkle Machine



• 适用於干性的颗粒材料,如蔓越莓等果干。

It suitable work for dry granular ma -terials such as cranberry and other dried fruits.

• 狼牙棒式酒料试果干能均匀分布在产品表面。

Mace wine test dried fruit evenly distri--buted on the surface of the product.

• 可调整速度来控制洒料的多寡。

Adjustable speed adjustment can control the amount of materials.

 伺服电机调整压面轮输出厚度 (0.8~1.8cm),操作者可在面板 上按需求设定。

Servo motor work for the thickness of dough sheet from 0.8-1.8cm, wor -ker could set required code on con -trol panel.

• 附入面料斗,可将面团直接投入,不需手工协助,提升操作者的安全。

而于上即即,旋开採作有的女主。 A dough hopper is assessed in the input position where increased opera-ting safety.



Dough Dividing And Sheeting Machine

 入面及出面皮带为变频调速。
 The inlet and outlet belts are controlled by frequency conversion.

• 可根据搭配的生产线订做轮宽 决定面带的宽度。

The width of the dough sheet can be determined of roller's size which can be customed by product requirement.



型号 Model	品名 Name	长(mm) Length	宽 (mm) Width	高 (mm) Height	功率(kw) Power	重量 (kg) Weight
YJ-PS01	喷蛋撒料机 Sprinkle Machine	550	210	380	0.3	50
YJ-SS01	撒料机 Sprinkle Machine	1000	650	1350	1	150
YJ-240		1315	1025	1385	2.25	566
YJ-241	自动连续压面机 Automatic Dough Kneading Machine	1315	1025	1385	2.25	560
YJ-241 PRO		1350	1075	1400	3	610
YJ-650M	输送整型机	2500	530	1550	1	290
YJ-650L	Dough Dividing And Sheeting Machine	2500	630	1550	1	300
YJ-220	分割面带整型机 Dividing Machine	3250	660	1250	1.875	325

蛋糕曲奇成型机

Cookies And Cake Depositer

- PLC 控制,具备生产数据记忆功能。
 PLC control with founction of memory setting.
- 附一组齿轮泵送料及一组沟槽滚轮送料,可更换不同出口生产多样化的产品。
 Changeable nozzles for making a variety of products.
- 气动阀门自动开关,防止滴浆。
 Pneumatic valves is automatically open and closed to prevent cake slurry dripping. Rotary nozzles for depositing different shapes of cookies.
- 标准型: 400 方向或 600 方向进盘其中一种,也可根据客户盘子尺寸订做。
 Standard size: trays direction can be 400 or 600mm side and also can be customized according to the size of the customer plate.









- 注料嘴口径可选,随机附一组出料嘴 (注料嘴数量根据客户每列产品数量而定)。
 Injector nozzle diameter is optional, one set of outlet nozzle if for free. (the number of injector nozzle is determined according to the number of products in each column trays).
- 储存浆料的料桶可升降(升降高度可调),输送皮带距料桶的高度可调。
 The slurry hopper can be raised or lowered (adjustable height), Switchable wire cutting mechanism for slice forming. The height of the convey or belt from the hopper is adjustable.
- 料桶容量: 70 升。 Hopper capacity: 70 litres.
- 注料方式:可选择点注、连续注料两种 Injection optional: positional injection and continuous injection.
- 生产曲奇时,料嘴由伺服电机带动并可旋转。
 When producing cookies, the feed nozzle is driven by a servo motor and can be rotated

烧成机

Mould Cake Production Line

• 燃烧方式: 瓦斯 Combustion Methhod:gas

 产能: 600~1000 个 / 小时 Capacity: 600~1000pcs/h











型号 Model	品名 Name	长(mm) Length	宽 (mm) Width	高 (mm) Height	功率(kw) Power	重量 (kg) Weight
YJ-CD70		1500	900	1400	1.4	300
YJ-CD71	蛋糕曲奇成型机 Cookies And Cake Depositer	1500	900	1400	2	300
YJ-CD72	·	1500	900	1400	2	300
YJ-SCJ10	烧成机 Mould Cake Production Line	2697	1176	1656	0.4	0.5(气源)

5 \sim 16