

## 選配設備 Optional Equipments

### 自動連續壓麵機

Automatic Dough Kneading/Sheeting Machine



#### 特色 Features

1. S型連續式摺疊壓、增加麵糰延展性及光澤
  2. 可增加麵皮筋性與組織密度
  3. 適用於含水量40%-60%的麵糰
1. S type continuously kneading, increase expansion of dough.
  2. Increase the gluten of dough.
  3. Suitable for the flour whose water percent is 40% to 60%.

#### 規格 Dimension

長x寬x高 (mm) Length x Width x Height	總重 Weight(kg)	功率 Power(kw)
1340 x 1150 x 1380	600	3

### YJ-320 旋桶攪拌機 Sprial Mixer



#### 特色 Features

1. 攪拌勾加粗，較一般攪拌機更耐用
  2. 攪拌勾採雙軸承設計，不易磨損，特別適用於低水份、高含油量的麵糰
1. The mixing hook is strengthened and thickened, thus the mixer is more sturdy and durable.
  2. The mixing hook adopts double bearing design, and it's impossible to be damaged. It's very suitable for mixing the dough with high oil rate and low water rate.

#### 規格 Dimension

長x寬x高 (mm) Length x Width x Height	總重 Weight(kg)	功率 Power(kw)	容量 Capacity (kg)
1200 x 700 x 1300	425	5.25	50



### YJ-160 手動壓麵機 Semi-Auto Sheeting Machine

#### 規格 Dimension

長x寬x高 (mm) Length x Width x Height	總重 Weight(kg)	功率 Power(kw)
670 x 550 x 1250	237	3

### YJ-470AL 直立式攪拌機 Vertical Mixer Machine

#### 特色 Features

1. 可均勻攪拌水份低及筋性強之麵糰
  2. 可長時間操作、結構堅固、節省維修成本
  3. 適用較硬之麵糰；例如：包子、山東饅頭、水餃皮...等
1. It can mix glutenous dough with few water.
  2. Strong struture, saving maintain cost.
  3. Users may use machine to produce Chinese steam bum, dumpling wrappings, Munto and so on.

#### 規格 Dimension

長x寬x高 (mm) Length x Width x Height	總重 Weight(kg)	功率 Power(kw)	容量 Capacity (kg)
900 x 730 x 1640	551	3	40



### YJ-220 麵帶分割整型機 Dough Sheeting Divider

#### 特色 Features

1. 將麵帶組織做進一步擴展
  2. 可配合自動連續壓麵機使用，合乎自動化生產流程
  3. 可調整麵帶寬度及厚度，方便成型機操作
1. To expand the organization of dough.
  2. It can be connected with auto kneading machine. Whole production line can be automatically control.
  3. It can adjust the thickness of dough and easy to connect the operation of forming machine.

#### 規格 Dimension

長x寬x高 (mm) Length x Width x Height	總重 Weight(kg)	功率 Power(kw)
3200 x 620 x 1180	335	2.83



### YJ-103 麵帶輸送機 Conduction Machine

#### 規格 Dimension

長x寬x高 (mm) Length x Width x Height	總重 Weight(kg)	功率 Power(kw)
1450 x 840 x 870	94	0.5



Increase profit  
Decrease cost  
Strengthen produce line

# DELICIOUS FRESH QUICK

- Dough Forming Machine
- Filling Depositor
- Automatic Dough Kneading / Sheeting Machine
- Twist Dividing Machine
- Dough Sheeting Divider
- Multi-Function Encrusting Machine
- Semi-Auto Sheeting Machine
- Stamping Machine
- Separate Cutting Machine
- Automatic Alignment Machine



陽政機械有限公司 (台灣總廠)  
249新北市八里區大坵三街15號  
YANG JENQ MACHINERY CO., LTD.  
1F., No. 15, Dakan 3<sup>rd</sup> St., Bali Dist, New Taipei City 249, Taiwan  
TEL: +886-2-26105549  
FAX: +886-2-26105119  
Skype: yangjenq1972  
E-mail: yj1972@yangjenq.com.tw



YJ1972



YJ197201

陽政精機(無錫)有限公司 (無錫廠)  
中國無錫國家高新技術產業開發區碩放工業園三期B-5號地塊  
YANG JENQ MACHINERY (WUXI) CO., LTD.  
B-5 Lot, Phase Three, Shuofang Industrial Park, Wuxi New District,  
Jiangsu Province, 214142 China  
TEL: +86-510-85307099 · 85308099  
FAX: +86-510-85251099  
E-mail: yangjenq@vip.163.com



陽政機械有限公司  
YANG JENQ MACHINERY CO., LTD.  
www.YANGJENQ.com.tw



ISO9001:2000



Enjoy Gourmet Meals.  
Enjoy Life's Goodness.

陽政機械自 1972 年成立以來，以提供專業多元化技術服務為目標，目前已成為國內最具規模的專業食品機械製造商之一。

我們以「食品業全方位夥伴」作為整體管理的指標，依據國內業界需求不斷研究開發符合客戶需求的設備之外，更因應國外應用趨勢，配合客戶需求提供產品規劃等專業化服務，以協助客戶拓展商機並創造「互動雙贏」的共榮關係。

我們秉持「創新服務」的精神，不斷致力於產品開發創新，不模仿他人之產品，由零做起至今，榮獲台灣中央標準局及德國、日本、美國、大陸、台灣..等多國地區專利近百餘之多，這不僅是本公司的自我期許與承諾，也是對食品業界的一大利多與保障。

It is our goal to provide professional services since YANG JENQ Machinery set up in 1972. Now, we had become one of the biggest professional food-making machinery manufacturers.

"Best supplier/partner in food industry" is our principle to run business. Keeping research and develop equipments to needs of customer in Taiwan, also, offer specialized production design and tailor-made services to help customers broaden business and create "Win-Win" relationships.

By continuously innovation research and promote our own brand, YANG JENQ Machinery never copy others since now. We persisted in researching to achieve more than 100 patents in Taiwan, German, Japan, America, Mainland China...etc. It is not only our expectation and promise but also a great advantage to food industry.

## COMPANY PROFILE 公司簡介

### 經營理念

- 「員工為本」 Much Higher Quality
- 「客戶為尊」 Much Better Credit
- 「恪守本職」 Much Better Service
- 「發展為先」 Much More Respect for customers

### 企業精神

- 創新、責任、服務
- Innovation, Responsibility, Sincere service

以客戶為中心，提供最好的產品與服務  
Focus on customer, provide the best product and service.

## YJ-1510 & YJ-SE51 & YJ-SW45 & YJ-860 & YJ-868 多功能麵糰成型生產線 Multi-function Dough Production Line



### 特色 Features

- 週邊配備採模組化設計
- 不破壞麵皮組織，不發熱，保持傳統手工風味
- 品質穩定，重量誤差小
- 產品規格、長度、大小皆可調整設定
1. Modularization design applied in all the auxiliary machinery.
2. More gentle sheeting to keep the taste the same as handmade.
3. The weight and quality are stable. Deviation is within 3g.
4. Users can adjust the specification, length, weight.

### 規格 Dimension

- (A) 自動化全套規格 Auto Whole Set Dimension  
(YJ-1510L & YJ-SE51H & YJ-SW45 & YJ-860 & YJ-868): 長L6400 x 寬W4750 x 高H1785 mm
- (B) 經典套組規格 Classic Set Dimension  
(YJ-1510L & YJ-SE51H & YJ-SW45 & YJ-860): 長L6080 x 寬W1520 x 高H1480 mm
- (C) 基礎套組規格 Basic Set Dimension  
(YJ-1510L & YJ-SE51H & YJ-SW45): 長L4550 x 寬W840 x 高H1675 mm

型號 Model	長x寬x高 (mm) Length x Width x Height	總重 Weight(kg)	功率 Power(kw)
YJ-1510S/M	3400x740x1675 (入麵輸送帶 L3710)	600 (685)	4.5 (5.5)
YJ-1510L	3400x840x1675 (入麵輸送帶 L3710)	710 (800)	4.5 (5.5)
YJ-SE51H	500x770x1450	100	1
YJ-SE52	515x765x1310	102	1
YJ-STB35	1710x550x1360	173	1
YJ-SW43	1360x690x1336	189	2.5
YJ-SW45	1360x800x1450	223	2.5
YJ-SW49	1590x800x1330	300	2.5
YJ-860	1520x1438x1480	465	1.5
YJ-868	2493x1000x1774	380	2.5

重量範圍: 輸寬S 130mm - 25-50g、輸寬M 220mm - 25-100g、輸寬L 300mm - 25-150g (圓重產品)  
包船長型產品最大 300g、長度範圍1-80cm(切斷產品)

產能: 1000-7200個/每小時(捏團產品)、1000-3600個/每小時(頂底產品)、1000-12000個/每小時(切斷產品)

Range of weight: Roll width 130 mm-20-50g, Roll width 220 mm-20-100g, Roll width 300 mm-20-150g, max weight 300g(Twisting), max length 80cm(Cutting)

Capacity: 1000-7200 pcs/hr (Twisting)、1000-3600 pcs/hr(Pressing up)、1000-12000 pcs/hr(Cutting)

### 選配設備 Optional Equipments



YJ-SE51  
Filling Depositor  
給餡機

YJ-SE52  
Filling Depositor  
給餡機


YJ-SW43  
Twisting Dividing  
Machine  
分離式捏花機

YJ-SW45  
Twist Dividing  
Machine  
分離式捏花機

YJ-SW49  
Twisting Dividing  
Machine  
分離式捏花機


YJ-STB35  
Separate Cutting  
Machine  
分離式切台





YJ-1550  
 自動化千層酥流水線  
 Automatic Rough Puff Pastry  
 Production Line

YJ-1510MD & YJ-SE60 & YJ-SW45 & YJ-SE55 &  
 YJ-SWP10 & YJ-850 & YJ-860  
 自動化菠蘿麵包生產線  
 Automatic Pineapple Bun Production Line







## YJ-900T & YJ-850 & YJ-860 月餅生產線 Multi-function Encrusting Production Line

### 特色 Features

1. 採垂直送料設計，降低餡料因過度攪拌而破壞原始風味
  2. PLC控制系統，內建記憶功能 99組，可紀錄機器操作數據
  3. 適用固定模或伸縮模具，花紋圖樣可自選或客製化
  4. 可設定平行排列或交叉排列
1. Vertical depositing can reduce the desolation of the raw material's original flavor caused by over mixing.
  2. PLC system, product memory unit built-in (99 units). Recording various operation date.
  3. Suitable for fixed or flexible mold, users can choose pattern designation.
  4. The rules can be set parallel or cross line.

### 規格 Dimension

型號 Model	長x寬x高(mm) Length x Width x Height	總重 Weight(kg)	功率 Power(kw)
YJ-900T	1460 x 888 x 1853	480	4.2
YJ-850	1800 x 570 x 1500	150	0.4
YJ-860	1550 x 1820 x 1680	465	1.5

### YJ-900T 適用出口 Suitable Nozzle

產品總重 Product Weight	適用出口 Suitable Nozzle		產品總重 Product Weight	適用出口 Suitable Nozzle	
12 ~ 30 克 (Gram)	Large(大) φ20	Large(中) φ16	45 ~ 85 克 (Gram)	Large(大) φ40	Large(中) φ45
20 ~ 35 克 (Gram)	Large(大) φ25	Large(中) φ28	80 ~ 150 克 (Gram)	Large(大) φ50	Large(中) φ55
25 ~ 50 克 (Gram)	Large(大) φ30	Large(中) φ35	125 ~ 200 克 (Gram)	Large(大) φ55	Large(中) φ58

### YJ-850 立體造型餅模 Stamping Mold



## YJ-SC520 自動桿壓機 Auto Pancake Machine



## YJ-1910 & YJ-SE52 & YJ-SW49 & YJ-860 酥餅自動生產線 Flaky Pastry Production Line



### 特色 Features

1. 每道壓輪及輸送帶皆可獨立調速控制，確保麵帶完整性與規則性
  2. “坦克輪”漸進式壓麵輪組，不會因為麵帶筋度過低而導致斷裂或破酥
  3. 給餡機可因應客戶產品訂做或增加來生產雙餡或粉類產品，豐富產品多樣化
  4. 特別適用重油、筋度較低的起酥類產品，可大量節省人工成本，提高產能
1. Each roll wheel and conveyor belt are independently controlled to ensure the integrity and regularity of dough.
  2. "YJ-Tank series" is equipped with the unique Gradual Sheeting Device. It's not easy to break due to low gluten dough.
  3. Filling depositor can be customized for producing of 2 layers or power filling.
  4. This line is specially designed for flaky puff products of high oil content and low gluten. It greatly saves the labor and time cost to improve the capacity.

### 規格 Dimension

型號 Model	長x寬x高(mm) Length x Width x Height	總重 Weight(kg)	功率 Power(kw)
YJ-1910	3820 x 650 x 1750	895	4.5
YJ-SE52	760 x 540 x 1280	102	1
YJ-SW49	1590 x 800 x 1330	300	2.5
YJ-860	1550 x 1820 x 1680	465	1.5

### 適用產品 Suitable product

蛋黃酥、綠豆凸、酥式月餅、老婆餅...等  
The Egg-Yolk puff, Green Bean pastry, Layered pastry, Sweetheart pastry.

